



PISTOLE



PIT TECH



BIANCA - WHITE



versione neutra
neutral version



NERA - BLACK

IT. Accessori

PISTOLE MANUALI

Pistole di erogazione manuali costituite da corpo in alluminio o in plastica a seconda del modello scelto. Pratiche ed economiche, vengono fornite tutte con raccordo girevole integrato.

| Caratteristiche | PIT TECH | NERA | BIANCA |
|-----------------|------------|----------|----------|
| • portata max | 100l/min | 80l/min | 80l/min |
| • entrata | 1" F BSP-G | Ø20,25mm | Ø20,25mm |
| • uscita | Ø 25mm | Ø 25mm | Ø 25mm |
| • pressione | 3.5 bar | 3.5 bar | 3.5 bar |
| • fluidi | diesel | diesel | alimenti |

Opzioni

- mascherina personalizzabile (solo Pit Tech)*

* subordinata ad un minimo d'ordine annuale

EN. Accessories

MANUAL NOZZLES

Manual dispensing nozzle made of aluminum or plastic body depending on the model chosen. Practical and economical, all nozzles are supplied with integrated swivel fitting.

| Features | PIT TECH | BLACK | WHITE |
|-----------------|------------|----------|----------|
| • flow rate max | 100l/min | 80l/min | 80l/min |
| • in | 1" F BSP-G | Ø20,25mm | Ø20,25mm |
| • out | Ø 25mm | Ø 25mm | Ø 25mm |
| • pressure | 3.5 bar | 3.5 bar | 3.5 bar |
| • fluids | diesel | diesel | food |

Options

- customizable faceplate (Pit Tech only) *

* subject to minimum annual ordered



| Ref. | Model | pcs/ box | LxWxH(mm) | Kg/ box | N° boxes europallet | N° boxes europallet |
|---------------|------------------------------------|-------------|-------------|------------|------------------------|------------------------|
| PT1GX25 | PIT-TECH 1" GAS Ø25 NBR | 35 | 390X390X390 | 22 | 18 | 30 |
| PT1GW25 | PIT-TECH 1" GAS Ø25 NBR NEUTRA | 35 | 390X390X390 | 22 | 18 | 30 |
| PT1GW25NMA | PIT TECH NO LABEL NO PROTECTION | 35 | 390X390X390 | 22 | 18 | 30 |
| 2710050500020 | NERA - BLACK Ø20 NBR | 30 | 390X390X390 | 9 | 18 | 30 |
| 2710050500120 | NERA - BLACK Ø25 NBR | 30 | 390X390X390 | 9 | 18 | 30 |
| 2710050550050 | NERA - BLACK Ø20 VITON | 30 | 390X390X390 | 9 | 18 | 30 |
| 2710050550100 | NERA - BLACK Ø25 VITON | 30 | 390X390X390 | 9 | 18 | 30 |
| 271015055000X | BIANCA - WHITE Ø20 VITON | 30 | 390X390X390 | 9 | 18 | 30 |
| 2710150550100 | BIANCA - WHITE Ø25 VITON | 30 | 390X390X390 | 9 | 18 | 30 |



NOZZLES



60L



90-120L



280L



AUTOMATIC AbBLUE®

IT. Accessori

PISTOLE AUTOMATICHE

Pistole di erogazione dotate di dispositivo di arresto automatico a serbatoio pieno, ideali per rifornimenti veloci e sicuri. Il raccordo girevole in alluminio è fornito a corredo. Disponibili in diverse versioni.

EN. ACCESSORIES

AUTOMATIC NOZZLES

Dispensing nozzles e Equipped with automatic switch-off device when tank is full, ideal for fast and safe refueling. Aluminium Swivel is supplied as standard. Available in different versions.

| Caratteristiche | 60 | 90 | 120 | 280 |
|-----------------|-------------|-----------|-----------|------------------|
| • portata | 60l/min | 90l/min | 120l/min | 280l/min |
| • entrata | 3/4" F | 1" F | 1" F | 1" 1/4 F |
| • Ø uscita | 24mm | 26mm | 30mm | 35mm |
| • pressione | 3.5 bar | 3.5 bar | 3.5 bar | 3.5 bar |
| • fluidi | diesel | diesel | diesel | diesel |
| • girevole | 3/4" M-1" F | 1" M-1" F | 1" M-1" F | 1-1/2" M-11/2" F |

| Features | 60 | 90 | 120 | 280 |
|-------------|-------------|-----------|-----------|------------------|
| • flow rate | 60l/min | 90l/min | 120l/min | 280l/min |
| • in | 3/4" F F | 1" F | 1" F | 1" 1/4 F |
| • Ø out | 24mm | 26mm | 30mm | 35mm |
| • pression | 3.5 bar | 3.5 bar | 3.5 bar | 3.5 bar |
| • fluids | diesel | diesel | diesel | diesel |
| • Swivel | 3/4" M-1" F | 1" M-1" F | 1" M-1" F | 1-1/2" M-11/2" F |



Opzioni - Options
aggancio pistola - nozzle hook
ref. 71000528M



**GIREVOLE INCLUSO
SWIVEL INCLUDED**
ref. 60815200000 M3/4"X1" F
ref. 60815210000 M1"X1" F




| Ref. | Model | pcs/box | LxWxH(mm) | Kg/box | N° boxes europallet | N° boxes europallet |
|-----------------|-----------------------------|---------|-------------|--------|---------------------|---------------------|
| 2715010000000 | 60L DIESEL | 10 | 410x310x370 | 13 | 18 | 30 |
| AU0901N | 90L DIESEL | 10 | 425x330x395 | 17 | 18 | 30 |
| 2715030000000 | 120L DIESEL | 10 | 425x330x395 | 17 | 18 | 30 |
| AU2801N | 280L DIESEL | 10 | 460x430x320 | 23 | 12 | 18 |
| 41210001 | 60L DIESEL + aggancio/hook | 10 | 410x310x370 | 13 | 18 | 30 |
| 41210004 | 90L DIESEL + aggancio/hook | 10 | 425x330x395 | 17 | 18 | 30 |
| 41210003 | 120L DIESEL + aggancio/hook | 10 | 425x330x395 | 17 | 18 | 30 |
| AB045 | PLASTIC AUTOMATIC NOZZLE | 10 | 425x330x395 | 9 | 18 | 30 |
| 200715100290000 | INOX AUTOMATIC NOZZLE | 10 | 425x330x395 | 23 | 18 | 30 |



ACCESSORI



KIT ASPIRAZIONE - SUCTION KITS





2M
Ref. 260000000040



4M



| Ref. | Model | Inlet |  |  | Material | Ø mm | l/min | m | LxWxH(mm) | Kg |
|--------------|------------------|--------------|---|---|----------|------|--------|---|-------------|-----|
| 260000000040 | SUCTION KIT 3/4" | 3/4" BSP-G | 330 µm | - | PVC | 25 | 40 | 2 | 390X390X150 | 1,1 |
| 260000000060 | SUCTION KIT 1" | 1" BSP-G | - | - | PVC | 25 | 45-100 | 2 | 390X390X150 | 1,1 |
| 260060000000 | SUCTION KIT 3/4" | 3/4" PLASTIC | - | • | PVC | 22 | 40 | 4 | 390X390X150 | 1,2 |
| 260050000000 | SUCTION KIT 1" | 1" PLASTIC | - | • | PVC | 22 | 60-100 | 4 | 390X390X150 | 1,2 |

KIT MANDATA MANUALE - MANUAL DELIVERY KIT

Caratteristiche

- pistola manuale Pit Tech
- tubo gomma 4m raccordato

Features

- manual nozzle Pit Tech
- rubber hose 4m with fittings

| Ref. | Model | Ø mm | l/min | m | LxWxH(mm) | Kg |
|---------------|--------------|------|--------|---|-------------|-----|
| 2603304001500 | DELIVERY KIT | 19 | 40 | 4 | 390X390X150 | 2.5 |
| 2603302001500 | DELIVERY KIT | 19 | 45-60 | 4 | 390X390X150 | 2.5 |
| 2603306001500 | DELIVERY KIT | 25 | 80-100 | 4 | 390X390X150 | 3.6 |




KIT MANDATA AUTOMATICO - AUTOMATIC DELIVERY KIT

Caratteristiche

- pistola automatica
- girevole
- tubo gomma raccordato

Features

- automatic nozzle
- swivel
- rubber hose with fittings

| Ref. | Model | Ø mm | l/min |  | m | LxWxH(mm) | Kg |
|---------------|--------------|------|--------|---|----|-------------|-----|
| 2603302002700 | DELIVERY KIT | 19 | 45-60 | 60 | 4 | 390X390X150 | 3.2 |
| 2603302002706 | DELIVERY KIT | 19 | 45-60 | 60 | 6 | 390X390X150 | 4 |
| 2603302002710 | DELIVERY KIT | 19 | 45-60 | 60 | 10 | 390X390X230 | 5.6 |
| 2603306002900 | DELIVERY KIT | 25 | 80-100 | 120 | 4 | 390X390X150 | 4.6 |





ACCESSORIES




KIT TELESCOPICO PLASTICA PLASTIC TELESCOPIC KIT



| Ref. | thread | Ø mm | mm min | mm max | Kg |
|--------|--------|------|--------|--------|------|
| TUB012 | 56X4 | 21 | 600 | 1050 | 0,25 |

KIT TELESCOPICO TELESCOPIC KIT



| Ref. | Inlet | mm min | mm max | Kg |
|--------------|------------|--------|--------|-----|
| 260270000000 | 3/4" BSP-G | 590 | 1030 | 1,2 |
| 260280000000 | 1" BSP-G | 590 | 1030 | 1,2 |

TUBI MANDATA - DELIVERY HOSES



| Ø 19 Nero gomma - Black rubber | Ref. | Ref. | Ref. | Ref. | Ref. |
|--------------------------------|-----------|-----------|-----------|-----------|-----------|
| • LUNGHEZZA - LENGTH (m): | 2 | 4 | 6 | 8 | 10 |
| 3/4" BSP-G X 1" BSP-G | TUB190231 | TUB190431 | TUB190631 | TUB190831 | TUB191031 |
| 1" BSP-G X 1" BSP-G | TUB190211 | TUB190411 | TUB190611 | TUB190811 | TUB191011 |
| 3/4" BSP-G X 3/4" BSP-G | - | TUB190433 | TUB190633 | - | - |

| Ø 25 Nero gomma - Black rubber | Ref. | Ref. | Ref. | Ref. | Ref. |
|--------------------------------|-----------|-----------|-----------|-----------|-----------|
| • LUNGHEZZA - LENGTH (m): | 3 | 4 | 6 | 8 | 10 |
| 1" BSP-G X 1" BSP-G | TUB250311 | TUB250411 | TUB250611 | TUB250811 | TUB251011 |

MATASSE - COILS

| aspirazione - suction | m | Ø mm | color | fluid | Kg | material |
|-----------------------|----|------|-------|--------|----|-------------------|
| TUB255000B | 50 | 25 | BLUE | DIESEL | 18 | PVC |
| TUB256000M | 60 | 25 | BLACK | DIESEL | 42 | reinforced rubber |



| mandata - delivery | m | Ø | color | fluid | Kg | material |
|--------------------|----|----|-------|---------|----|-------------------|
| TUB196000 | 60 | 19 | BLACK | DIESEL | 26 | rubber |
| TUB254000 | 40 | 25 | BLACK | DIESEL | 25 | rubber |
| TUB196000M | 60 | 19 | BLACK | DIESEL | 42 | reinforced rubber |
| TUB256000M | 60 | 25 | BLACK | DIESEL | 42 | reinforced rubber |
| TUB195000P | 50 | 19 | BLACK | ADBLUE® | 18 | EPDM |



PORTAGOMMA - HOSE STEMS



| BSP-G | Ø19 mm | Ø25mm |
|-------|--------|--------|
| 3/4" | TUB008 | TUB009 |
| 1" | TUB010 | TUB011 |


GIREVOLE - SWIVEL



| BSP-G | Ref. |
|---------------|-------------|
| 3/4" M X 1" F | 60815200000 |
| 1" M X 1" F | 60815210000 |



AVVOLGITUBO - HOSE REELS



DIESEL

| Ref. | Model | + Ø | LxWxH(mm) | Kg | N° boxes europallet | N° boxes europallet |
|----------|---------------------------------------|--------------|-------------|------|---------------------|---------------------|
| HRG0P101 | DIESEL 1" BSP-G | NO (MAX 10m) | 700X640X300 | 25 | 4 | 7 |
| HRG0P153 | DIESEL 3/4" BSP-G | NO (MAX 15m) | 700X640X300 | 25 | 4 | 7 |
| HRG0G151 | DIESEL 1" BSP-G | NO (MAX 15m) | 700X640X360 | 27.5 | 4 | 7 |
| HRG0G203 | DIESEL 3/4" BSP-G | NO (MAX 20m) | 700X640X360 | 27.5 | 4 | 7 |
| HRG3P101 | DIESEL 3/4" BSP-G OUTLET 1" M BSP-G | 10m, Ø19mm | 700X640X300 | 29.3 | 4 | 7 |
| HRG3P103 | DIESEL 3/4" BSP-G OUTLET 3/4" M BSP-G | 10m, Ø19mm | 700X640X300 | 29.3 | 4 | 7 |
| HRG3P151 | DIESEL 3/4" BSP-G OUTLET 1" M BSP-G | 15m, Ø19mm | 700X640X300 | 31 | 4 | 7 |
| HRG3P153 | DIESEL 3/4" BSP-G OUTLET 3/4" M BSP-G | 15m, Ø19mm | 700X640X300 | 31 | 4 | 7 |
| HRG3G201 | DIESEL 3/4" BSP-G OUTLET 1" M BSP-G | 20m, Ø19mm | 700X640X360 | 36 | 4 | 7 |
| HRG3G203 | DIESEL 3/4" BSP-G OUTLET 3/4" M BSP-G | 20m, Ø19mm | 700X640X360 | 36 | 4 | 7 |
| HRG1P101 | DIESEL 1" BSP-G OUTLET 1" M BSP-G | 10m, Ø25mm | 700X640X300 | 32 | 4 | 7 |
| HRG1G151 | DIESEL 1" BSP-G OUTLET 1" M BSP-G | 15m, Ø25mm | 700X640X360 | 37.7 | 4 | 7 |

ACCESSORI - ACCESSORIES

| Ref. | Model |
|-------|---|
| HR0P0 | supporto in metallo - carbon steel bracket, P |
| HR0G0 | supporto in metallo - carbon steel bracket, G |




| Ref. | Model | + Ø | LxWxH(mm) | Kg | N° boxes europallet | N° boxes europallet |
|----------|--|-------------|-------------|------|---------------------|---------------------|
| HRG0Z083 | DIESEL 3/4" BSP-G | NO (MAX 8m) | 550X510X280 | 11.5 | 12 | 20 |
| HRG3Z083 | DIESEL 3/4" BSP-G OUTLET 3/4" M BSP-G | 8m Ø19mm | 550X510X280 | 14.9 | 12 | 20 |
| HRG3Z081 | DIESEL 3/4" BSP-G OUTLET 1" M BSP-G | 8m Ø19mm | 550X510X280 | 14.9 | 12 | 20 |
| HRU0Z083 | UREA INOX 3/4" BSP-G | NO (MAX 8m) | 550X510X280 | 11.5 | 12 | 20 |
| HRU3Z081 | UREA INOX 3/4" BSP-G OUTLET 1" M BSP-G | 8m Ø19mm | 550X510X280 | 14.9 | 12 | 20 |
| HRU3Z083 | UREA INOX 3/4" OUTLET 3/4" M BSP-G | 8m Ø19mm | 550X510X280 | 14.9 | 12 | 20 |



FILTRI - FILTERS



| | | | | |
|--------------------|---|----------------|-----------------|-----------------|
| | | | | |
| portata - flowrate | 60l/min | 90l/min | 100l/min | 100l/min |
| tipo - type | carta - paper | carta - paper | carta - paper | carta - paper |
| fluidi - fluids | diesel, olio - oil, olio vegetale - vegetable oil, benzina - gasoline | | | |



| Dimensioni - Dimensions (mm) | H | Ø mm |
|------------------------------|-----|------|
| 60l/min | 213 | 96 |
| 90l/min | 213 | 96 |
| 100l/min - 25µm | 148 | 128 |
| 100l/min - 10µm | 148 | 96 |



MANOMETRO - GAUGE
opzionale - optional
ref. FT003



Cartuccia - Cartridge

| Ref. | l/min | | | µm |
|---------|-------|---|---|----|
| FT600A | 60 | • | • | 25 |
| FT600AS | 60 | • | • | 10 |
| FT900A | 90 | • | • | 25 |
| FT100A | 100 | • | • | 25 |
| FT1000 | 100 | - | • | 10 |



Testata - Head

| Ref. | l/min | | | IN OUT |
|--------|-------|---|---|--------|
| FT007A | 60-90 | • | • | 1"-1" |
| FT002 | 100 | • | • | 1"-1" |
| FT005 | 100 | - | • | 1"-1" |

Kit Filtro - Filter Kit



| Ref. | Model | | | | | LxWxH(mm) | Kg |
|--------|---------------|---|---|--------|---|-------------|-----|
| FT60FA | KIT 60L | • | • | FT007A | - | 220X150X220 | 1.3 |
| FT90FA | KIT 90L | • | • | FT007A | - | 220X150X220 | 1.4 |
| FT10TA | KIT 100L | • | • | FT005 | - | 290X190X250 | 2.5 |
| FT10T0 | KIT 100L 10µm | - | • | FT002 | - | 220X150X220 | 2.6 |
| FT60MA | KIT 60L | • | • | FT007A | • | 220X150X220 | 1.3 |
| FT90MA | KIT 90L | • | • | FT007A | • | 220X150X220 | 1.4 |
| FT10XA | KIT 100L | • | • | FT005 | • | 290X190X250 | 2.5 |
| FT10X0 | KIT 100L 10µm | - | • | FT002 | • | 220X150X220 | 2.6 |