

**BALFLEX**



**INDUSTRIAL  
COUPLINGS**

**GESFLUID**

# TYPE A

## 44.A - Type A Cam Lock

Male Groove x Female Thread Connection

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)

**THREADS:** all NPT threads; also available with other threads on request

**OTHER PARTS:** jump sizes, 90° elbows and other modified parts on request



Size	Reference Thread NPT	Reference Thread BSP
1/2"	44.A010.050	44.A000.050
3/4"	44.A010.075	44.A000.075
1"	44.A010.100	44.A000.100
1.1/4"	44.A010.125	44.A000.125
1.1/2"	44.A010.150	44.A000.150
2"	44.A010.200	44.A000.200
2.1/2"	44.A010.250	44.A000.250
3"	44.A010.300	44.A000.300
4"	44.A010.400	44.A000.400
5"	44.A010.500	44.A000.500
6"	44.A010.600	44.A000.600

# TYPE B

## 44.B - Type B Cam Lock

Female Cam Handles x Male Thread Connection, all females with additional safety pin holes

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)

**THREADS:** all NPT threads; also available with other threads on request

**OTHER PARTS:** jump sizes, 90° elbows and other modified parts on request



Size	Reference Thread NPT	Reference Thread BSP
1/2"	44.B010.050	44.B000.050
3/4"	44.B010.075	44.B000.075
1"	44.B010.100	44.B000.100
1.1/4"	44.B010.125	44.B000.125
1.1/2"	44.B010.150	44.B000.150
2"	44.B010.200	44.B000.200
2.1/2"	44.B010.250	44.B000.250
3"	44.B010.300	44.B000.300
4"	44.B010.400	44.B000.400
5"	44.B010.500	44.B000.500
6"	44.B010.600	44.B000.600

# TYPE C

## 44.C - Type C Cam Lock

Female Cam Handles x Hose Nipple Connection, all females with additional safety pin holes

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)

**OTHER PARTS:** jump sizes, 90° elbows and other modified parts on request



Size	Reference
1/2"	44.C010.050
3/4"	44.C010.075
1"	44.C010.100
1-1/4"	44.C010.125
1-1/2"	44.C010.150
2"	44.C010.200
2-1/2"	44.C010.250
3"	44.C010.300
4"	44.C010.400
5"	44.C010.500
6"	44.C010.600



# TYPE D

## 44.D - Type D Cam Lock

Female Cam Handles x Female Thread Conn.  
All females with additional safety pin holes.

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)

**THREADS:** all NPT threads; also available with other threads on request

**OTHER PARTS:** jump sizes, 90° elbows and other modified parts on request



Size	Reference Thread NPT	Reference Thread BSP
1/2"	44.D010.050	44.D000.050
3/4"	44.D010.075	44.D000.075
1"	44.D010.100	44.D000.100
1.1/4"	44.D010.125	44.D000.125
1.1/2"	44.D010.150	44.D000.150
2"	44.D010.200	44.D000.200
2.1/2"	44.D010.250	44.D000.250
3"	44.D010.300	44.D000.300
4"	44.D010.400	44.D000.400
5"	44.D010.500	44.D000.500
6"	44.D010.600	44.D000.600

# TYPE E

## 44.E - Type E Cam Lock

Male Groove x Hose Nipple Connection

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)

**OTHER PARTS:** jump sizes, 90° elbows and other modified parts on request



Size	Reference
1/2"	44.E010.050
3/4"	44.E010.075
1"	44.E010.100
1.1/4"	44.E010.125
1.1/2"	44.E010.150
2"	44.E010.200
2.1/2"	44.E010.250
3"	44.E010.300
4"	44.E010.400
5"	44.E010.500
6"	44.E010.600

# TYPE F

## 44.F - Type F Cam Lock

Male Groove x Male Thread Connection

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)

**THREADS:** all NPT threads; also available with other threads on request

**OTHER PARTS:** jump sizes, 90° elbows and other modified parts on request



Size	Reference Thread NPT	Reference Thread BSP
1/2"	44.F010.050	44.F000.050
3/4"	44.F010.075	44.F000.075
1"	44.F010.100	44.F000.100
1.1/4"	44.F010.125	44.F000.125
1.1/2"	44.F010.150	44.F000.150
2"	44.F010.200	44.F000.200
2.1/2"	44.F010.250	44.F000.250
3"	44.F010.300	44.F000.300
4"	44.F010.400	44.F000.400
5"	44.F010.500	44.F000.500
6"	44.F010.600	44.F000.600

## TYPE DC

### 44.DC - Type DC Cam Lock

Female Cam Handles Dust Cap, all females with additional safety pin holes

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)



Size	Reference
1/2"	44.DC10.050
3/4"	44.DC10.075
1"	44.DC10.100
1-1/4"	44.DC10.125
1-1/2"	44.DC10.150
2"	44.DC10.200
2-1/2"	44.DC10.250
3"	44.DC10.300
4"	44.DC10.400
5"	44.DC10.500
6"	44.DC10.600

## TYPE DP

### 44.DP - Type DP Cam Lock

Male Groove Dust Plug

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)



Size	Reference
1/2"	44.DP10.050
3/4"	44.DP10.075
1"	44.DP10.100
1-1/4"	44.DP10.125
1-1/2"	44.DP10.150
2"	44.DP10.200
2-1/2"	44.DP10.250
3"	44.DP10.300
4"	44.DP10.400
5"	44.DP10.500
6"	44.DP10.600

## HANDLES

### 44.HP - Cam Lock Handles

Cam Lock Handles for Female Cam Handles Connectors

**MATERIALS:** Aluminum (add an "AL" at the end of the REFERENCE);  
Stainless Steel (add an "S" at the end of the REFERENCE);  
Polypropylene (add an "PP" at the end of the REFERENCE);  
Brass (add an "BR" at the end of the REFERENCE)

**OTHER PARTS:** elbow handles; stainless steel and spring steel rings; NBR, EPDM, Viton and Teflon gaskets; pins; clips

Size	Reference
1/2"	44.HP10.075
3/4"	
1"	44.HP10.100
1-1/4"	44.HP10.200
1-1/2"	
2"	
2-1/2"	44.HP10.300
3"	
4"	
5"	44.HP10.600
6"	